JOURNAL OF THE ARNOLD ARBORETUM VOL. XII

and notes on forest diseases in Nova Scotia. (In Report of the department of lands and forests, Nova Scotia, 1930, pp. 33-40.) The spread and the control of Phacidium blight in spruce plantations. (In Journal of the Arnold arboretum, 1930, xi, 136-147.) Arnold arboretum Pathological Jaboratory; [report 1929-30]. (In Journal of the Arnold arboretum, 1930, xi, 235-237.)

The Dutch or European elm disease. (In Country life, 1931, lix, 106.) HADDOW, William Robert.

Studies in Ganoderma. (In Journal of the Arnold arboretum, 1931, xii, 25-46.)

JACK, John George.

306

Planting trees in autumn. (In Arnold arboretum bulletin of popular information, 1930, iv, 65-68.)

Late persisting leaves on deciduous trees. (In Arnold arboretum bulletin of popular information, 1930, iv, 69-72.)

Effect of cold on flower buds of trees and shrubs. (In Arnold arboretum bulletin of popular information, 1931, v, 1-4.)

Forsythias. (In Arnold arboretum bulletin of popular information, 1931, v, 9–12.)

Flowering cherries. (In Arnold arboretum bulletin of popular information, 1931, v, 13–16.)

Various shrubs. (In Arnold arboretum bulletin of popular information, 1931, v, 21-24.)

American crabapples. (In Arnold arboretum bulletin of popular information, 1931, v, 29-32.)

Bush honeysuckles. (In Arnold arboretum bulletin of popular information, 1931, v, 33-36.)

Persimmons. (In Arnold arboretum bulletin of popular information, 1931, v, 41–44.)

JUDD, William Henry. Lilacs which have proved their worth. (In Horticulture, 1930, viii, 379 - 380.Cultivation of the beauty-bush. (In Horticulture, 1930, viii, 404.) Experience with Vitex macrophylla. (In Horticulture, 1931, ix, 13.) A hardy holly from Japan. (In Horticulture, 1931, ix, 77.) Kalmia latifolia. (In Gardeners' chronicle, 1930, lxxxviii, 297.) Evonymus latifolia. (In Gardeners' chronicle, 1930, lxxxviii, 363.) Ilex crenata var. bullata. (In Gardeners' chronicle, 1931, lxxxix, 90.) Rhexia virginica. (In Gardeners' chronicle, 1931, lxxxix, 91.) KOBUSKI, Clarence Emmeren. A supplement to J. T. P. Byhouwer, "An enumeration of the roses of Yunnan." (In Journal of the Arnold arboretum, 1930, xi, 228-231.) KRIBS, David Alson. Chromosomes and phylogeny in Caprifoliaceae. By Karl Sax and D. A. Kribs. (In Journal of the Arnold arboretum, 1930, xi, 147-153.) PALMER, Ernest Jesse. Additional notes on Texas ferns. (In American fern journal, 1930, xx, 138-142.) REHDER, Alfred. The azaleas and their allies. (In The species of Rhododendron, published by the Rhododendron Society, 1930, pp. 1-3, 42-123, 607-609.) Zur nomenklatur der Magnolia kobus D. C. (In Mitteilungen der Deutschen dendrologischen gesellschaft, 1930, nr. 42, pp. 40-41.) New species, varieties and combinations from the herbarium and collections of the Arnold arboretum. (In Journal of the Arnold arboretum, 1930, xi, 153–168; 1931, xii, 59–78.) Ernest Henry Wilson. (In Journal of the Arnold arboretum, 1930, xi, 181-192.)-Reprinted in Journal of the Kew guild, 1931, v, 67-73.

1931]

NOTES

307

Arnold arboretum Herbarium; [report 1929-30]. (In Journal of the Arnold arboretum, 1930, xi, 238-240.) Species of Rhododendron; [book review]. (In Journal of the Arnold arboretum, 1931, xii, 146-147.) Illustrations of Eucalyptus; [book review]. (In Journal of the Arnold arboretum, 1931, xii, 147-148.) RousH, Eva Myrtelle Fling. Monograph of the genus Sidalcea. (In Annals of the Missouri botanical garden, 1931, xviii, 117-244.) A synopsis of Robinsonella. (In Journal of the Arnold arboretum, 1931, xii, 49-59.) SAX, Hally Jolivette. Chromosome numbers in Quercus. (In Journal of the Arnold arboretum, 1930, xi, 220–223.) SAX, KARL. Chromosomes and phylogeny in Caprifoliaceae. By Karl Sax and D. A. Kribs. (In Journal of the Arnold arboretum, 1930, xi, 147-153.) Chromosome structure and the mechanism of crossing-over. (In Journal of the Arnold arboretum, 1930, xi, 193-220.) Arnold arboretum Cytological laboratory; [report 1929-30]. (In Journal of the Arnold arboretum, 1930, xi, 237-238.) The origin and relationships of the Pomoideae. (In Journal of the Arnold arboretum, 1931, xii, 3-22.) Chromosome numbers in the ligneous Saxifragaceae. (In Journal of the Arnold arboretum, 1931, xii, 198-206.) Plant hybrids. (In Arnold arboretum bulletin of popular information, 1931, v, 17–20.) TUCKER, Ethelyn Maria. Arnold arboretum Library; [report 1929-30]. (In Journal of the Arnold arboretum, 1930, xi, 240-244.) WILSON, Ernest Henry. Boxwood and the landscape scheme. (In House and garden, 1930, lvii, July.) Forsythias to greet the spring sun. (In House and garden, 1930, Ivii, Aug.) Shrubs for banks and other steeply sloping places. (In House and Garden, 1930, lvii, Sept.) Plants that climb the garden wall. (In House and garden, 1930, lvii, Oct.) Shrubs to plant by the waterside. (In House and garden, 1930, lviii, Nov.) Flowering bushes and small trees to fringe the border of the woodland. (In House and garden, 1930, lviii, Dec.) Thuja orientalis and Juniperus chinensis. (In Journal of the Arnold arboretum, 1930, xi, 135-136.) Arnold arboretum bulletin of popular information, 1930, iv, nos. 13-16. Summer-flowering trees and shrubs. (In Horticulture, 1930, viii, 335-336.) A new greenhouse Rhododendron. (In Horticulture, 1930, viii, 349-350.) The purple-stamened Stewartia. (In Horticulture, 1930, viii, 380.) The new Taxus cuspidata Thayerae. (In Horticulture, 1930, viii, 424.) Viburnums for autumn color. (In Horticulture, 1930, viii, 447-448.) Choosing shrubs for their fruits. (In Horticulture, 1930, viii, 483.) In defense of goldenrod. (In Horticulture, 1930, viii, 484.) The Arboretum; [report 1929-30]. (In Journal of the Arnold Arboretum, 1930, xi, 233-235.) If I were to make a garden. Boston, Stratford Press. 1931. ZIRKLE, Conway.

Nucleoli of the root tip and cambium of Pinus strobus. (In Cytologia, 1931, ii, 85-105.)—E. D. B.



Staff of the Arnold Arboretum, 1931-32

OAKES AMES, A.M., Professor of Botany, Supervisor. JOHN GEORGE JACK, Assistant Professor of Dendrology. ALFRED REHDER, A. M., Curator of the Herbarium. JOSEPH H. FAULL, Ph.D., Professor of Forest Pathology. KARL SAX, Ph.D., Associate Professor of Cytology. EDGAR ANDERSON, Sc.D., Arborist. IVAN MURRAY JOHNSTON, Ph.D., Research Associate. CLARENCE E. KOBUSKI, Ph.D., Assistant Curator, Herbarium. SUSAN DELANO MCKELVEY, Research Assistant. K. S. CHESTER, Ph.D., Research Assistant. ERNEST J. PALMER, Research Assistant. EVA M. FLING ROUSH, Ph.D., Assistant in the Herbarium. ETHELYN MARIA TUCKER, Librarian. KATHARINE ELEANOR KELLEY, Assistant in the Library. ETHEL ANTOINETTE ANDERSON, Business Secretary. LOUIS VICTOR SCHMITT, Superintendent. WILLIAM HENRY JUDD, Propagator.



ERRATA AND ADDENDA

- Page 42, line 4 for Qebec read Quebec
 - " 59, line 10 from below after Bayard insert Thayer
 - " 73, line 5 from below for Ilex crenata f. bullata, f. nov. read: Ilex crenata f. convexa Makino in Jour. Jap. Bot. v. 27 (1928).
 - Ilex crenata f. bullata Rehder in Jour. Arnold Arb. XII. 73 (1931).
 - " 76, line 23 for Thunbergii read fragrans
 - " 165, line 15 for Forsythe County read Macon County
 - " 169, line 16 for Fig. 3. read Fig. 4.
 - 176, after line 26 under 9. Amorpha laevigata insert: 66 Since the publication in the July issue of this Journal of a Conspectus of the Genus Amorpha, we have received through the courtesy of the authorities of the British Museum a photograph and fragments of a flowering raceme of the type specimen of Amorpha laevigata from the Nuttall Herbarium. The type specimen consists of a flowering branch showing leaves and several muchelongated spikes of the inflorescence, just coming into flower. It is gratifying to find that the evidence of the type specimen quite confirms the view taken of this species from the original description and the study of other collections, and that the Texas specimens enumerated seem to be clearly referable to it.-E. J. P. 66 195, line 1 from below for (XI) read ($\times 1$)
- " 196, line 7 and 2 from below for Philipp. read Filip.



INDEX

Synonyms are printed in *italics*; new names in **bold-face** type.

Abies pinsapo, A silvicultural study of, [review], 219 Abrus precatorius, 245 Abutilon ambiguum, 51 Acacia simplicifolia, 248 - sp., 249 - spirorbis, 248 Acer angustilobum, 154 - oblongum macrocarpum, 154 Actinophloeus microcarpus, 267 - linearis, 268 Adenanthera pavonina, 247 Aglaia elaeagnoides, 238 - sp., 238 Alectryon sp., 241 Allophylus racemosus, 240 - ternatus, 240 - timorensis, 240 Alphitonia zizyphoides, 239 Alsophila Veitchii, 46 AMES OAKES, Rhus verniciflua and Japanese damascene ware, 1, pl. 27

Amorpha elata, 185 -elatior, 197 - emarginata, 193 - floridana, 170, fig. 5 -fragrans, 189

- fruticosa, 185, fig. 20 -- albiflora, 189 -- angustifolia, 189, fig. 20 a ----- aureo-variegata, 189 -- coerulea, 189 --coerulea, 189-- crispa, 189 --crispa, 189 --- croceolanata, 182 ----- emarginata, 193, fig. 20 d ——— fragrans, 196 --glabra, 174--- glabrata, 191 --humilis, 189--humilis, 189 --Lewisii, 189-- oblongifolia, 192, fig. 20 c

- Amorpha, Conspectus of the genus, 157, 49 figs., pl. 36
- Amorpha angustifolia, 189
- arborea, 185
- arizonica, 185
- brachycarpa, 171, fig. 6, pl. 36
- Bushii, 183, fig. 18
- californica, 162, fig. 1
- -- hispidula, 163
- -- napensis, 163
- --- canescens, 164, fig. 2
- -- glabrata, 167
- canescens, 164
- --- leptostachys, 167
- --typica, 164
- caroliniana, 196
- caroliniana, 169

- -- pendula, 189
- -- pendula, 189
- — pumila, 196
- ——— tennesseensis, 192, fig. 20b
- --typica, 186
- --var. (1), 180
- --- vulgaris, 185
- Gaertnerii, 196
- Gardnerii, 196
- glabra, 174, fig. 8
- glandulosa, 196
- herbacea, 168, fig. 3
- herbacea, 186
- --Boyntoni, 168
- --typica, 168
- -humilis, 189
- hispidula, 163

- coerulea, 189
- crenulata, 177, fig. 11
- crocea, 197
- croceolanata, 182, fig. 17
- Curtissii, 178, fig. 12
- cyanostachya, 169, fig. 4
- dealbata, 197
- densiflora, 178

- -laevigata, 175, 309, fig. 9
- -- pubescens, 180
- --typica, 175
- leucodermis, 177
- Lewisii, 189
- ludoviciana, 197
- Ludvigii, 186
- -lutea, 196

JOURNAL OF THE ARNOLD ARBORETUM VOL. XII 312

Amorpha marginata, 197

- microphylla, 172
- montana, 174
- -nana, 172, fig. 7
- nana, 189
- nitens, 176, fig. 10
- --- leucodermis, 177
- nonperforata, 185
- occidentalis, 184, fig. 19
- — arizonica, 185, fig. 19 b

Berberis, A study of chromosome number in two genera of Berberidaceae: Mahonia and, 281 Berchemia alnifolia, 280 - Fournieri, 238 Betulaceae, Polyploidy in the, 206 Bibliography of the published writings of the staff and students of the Arnold Arboretum 1930-31, 305 Bixa Orellana, 225

- ---- emarginata, 185, fig. 19 a
- ornata, 185
- paniculata, 179, fig. 14
- pedalis, 196
- pendula, 189
- perforata, 185
- pubescens, 168, 186
- pumila, 168, 169
- punctata, 172
- Rabiae, 197
- Roemeriana, 179
- --- Schwerini, 178, fig. 13
- subglabra, 180
- tenesseensis, 192
- texana, 179, fig. 15
- ---- glabrescens, 180
- ---- mollis, 180

Botryodiplodia (Sacc.) on Elm trees in the United States, Three species of, 289 fig., pl. 38, 39 Botryodiplodia ulmicola, 292 Brass, L. J., Four new palms collected in the Territory of Papua (British New Guinea) by, 264 Bredia amoena, 271 - chinensis, 271 Bruguiera eriopetala, 252 BUISMAN, CHRISTINE, Three species of Botryodiplodia (Sacc.) on Elm trees in the United States, 289 fig., pl. 38, 39 BURRET, M. Four new Palms collected in the Territory of Papua (British New Guinea) by L. J. Brass, 264 Caesalpinia nuga, 247

- tomentosa, 197 Aphania ? neo-ebudica, 240 Areca nannospadix, 265 Arnold Arboretum during the fiscal year ended June 30, 1931, 296 Arnold Arboretum, New species, varieties and combinations from the herbarium and the collections of the, 59, fig. Arnold Arboretum 1931-32, the Staff of, 308 Braunii Spenner, Milesina Aspidium rusts on, 218 Astronia aneityensis, 261 - banksiana, 261 BANGHAM, W. N. Chromosomes of

some Hevea species, 287 BARBEY, A. A travers les forêts de Pinsapo d'Andalousie [review], 219 Barringtonia excelsa, 258 - racemosa, 259 Bauerella australiana, 235 Berberidaceae: Mahonia and Berberis, A study of chromosome number in two genera of, 281

Calamus nannostachys, 264 Callicarpa Esquirolii, 278 Calophyllum Inophyllum, 227 -? Inophyllum. 227 - neo-ebudicum, 227 Canavalia obtusifolia, 246 Canarium nungi, 236 fig. 2 a - sp., 237, fig. 2b Carapa obovata, 238 Cassia glauca, 247 Castanospermum australe, 247 Casuarina nodiflora Forst., in Australia. On the occurrence of, 197 Cavaleriea enkianthoidea, 279 Cayratia carnosa, 240 - saponacea, 240 CHESTER, KENNETH S. Graft-blight: A disease of Lilac related to the employment of certain understocks in propagation, 79, pl. 31 to 34 Chinese plants, Notes on, 270 Chromosome numbers in the ligneous Saxifragaceae, 198, pl. 37 Chromosomes of some Hevea species, 287 Citrus kwangsiensis, 153

1931]

INDEX

Clerodendron amplius, 76
— cyrtophyllum, 76
— formosanum, 77
Colubrina asiatica, 239
Commersonia echinata, 230
Conspectus of the genus Amorpha, 157, 49 figs., pl. 36
Contribution to the flora of the New Hebrides, plants collected by S. F. Kajewski in 1928 and 1929, 221, 3 figs.

COPELAND, E. B. Pteridophytes col-

Deutzia molle erythrocalyx, 275
Dichroa febrifuga, 278
— Henryi, 278
Dillenia biflora, 222
— neo-ebudica, 222
Disease of Lilac related to the employment of certain understocks in propagation, Graft-blight, 79, pl. 31 to 34
Distylium chinense, 280
— Dunnianum, 280

Dodonaea viscosa, 242 Diacontomelum vitiense, 242 Dysoxylum aneityense, 237 - bijugum, 238 - Kunthianum, 238 Eleaocarpus hortensis, 231 - Kajewskii, 232 - sp., 232 Elaeodendron artense, 238 Elm trees in the United States, Three new species of Botryodiplodia (Sacc.) on, 289 fig., pl. 38, 39 Entada scandens, 245 Eucalyptus, An anthography of the review], 147 Eugenia javanica, 255 - rariflora, 255

313

lected for the Arnold Arboretum on Vanikoro, Santa Cruz Islands, by S. F. Kajewski, 46 Cordia venosa, 77 Corylopsis alnifolia, 280 - Caraleriei, 281 - Wilsonii, 281 Corvlus Fargesii, 68 - mandshurica Fargesii, 69 - rostrata Fargesii, 68 Cotoneaster Pyracantha, 72 Crataegus Henryi, 71 - Pomusae, 276 - scabrifolia, 71 Crossostylis banksiana, 252 Cupaniopsis neo-ebudensis, 241 -- sp., 242 Cyathea Veitchii, 46 Cytological Laboratory, The Arnold Arboretum during the fiscal year ended June 30, 1931, 299 Cytomyxis, 23 Dalbergia monosperma, 246 Decaspermum neo-ebudicum, 254 Dedea neo-ebudica, 250 Delarbrea collina, 262 DERMEN, Haig, A study of chromosome number in two genera of Berberidaceae: Mahonia and Berberis, 281 Desmodium Dunnii, 270 - floribundum, 270

- lanceolatum, 270
- umbellatum, 244

- Richii, var. 255 - sp., 255, 256 Euonymus provicarii, 280 Evodia hortensis sinuata, 233 - Kajewskii, 234 - Schullei simplicifolia, 234 - sp., 235 - triphylla, 234 Fagus lucida, 151 FAULL, J. H. Milesina rusts on Aspidium Braunii Spenner, 218 Four new Palms collected in the Territory of Papua (British New Guinea) by L. J. Brass, 264 Frevcinetia tannaensis, 269 Ganoderma, Studies in, 25, fig., pl. 29, 30

Deutzia Chaffanjoni, 276 — Chanetii, 275 — coreana, 276 — cyanocalyx, 276 — Esquirolii, 276 Equivie 276

- Fauriei, 276
- glabrata, 276
- -- lancifolia, 276

Ganoderma Curtisii, 35, 37, 40 — lucidum, 30, 35, 38, 39 — ocegonense, 35, 37, 40 — sessile, 32, 36, 38, 40 — Tsugae, 32, 35, 38, 40 Garcinia Pancheri, 226 — vitiensis, 227 Geissois Denhamii, 251